

Geïsoleerde kabelschoenen

Pre-insulated terminals

Isolierte Kabelschuhe

Cosses pre isolées

Ring terminals




| Part number | Short code | Wire range (mm ²) | Stud size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|-------------|------------|-------------------------------|----------------|----------------|--------------|--------------|--------|
| 81003R | 633 | 0.5 - 1.5 | 3.2 | 5.5 x 13.7 | * | | Red |
| 81003RD | 556 | 0.5 - 1.5 | 3.2 | 5.5 x 13.7 | | * | Red |
| 810037RD | 012 | 0.5 - 1.5 | 3.7 | 6.6 x 15.5 | | * | Red |
| 81004R | 634 | 0.5 - 1.5 | 4.3 | 8.0 x 16.2 | * | | Red |
| 81004RD | 535 | 0.5 - 1.5 | 4.3 | 8.0 x 16.2 | | * | Red |
| 81005R | 635 | 0.5 - 1.5 | 5.3 | 8.0 x 16.7 | * | | Red |
| 81005RD | 557 | 0.5 - 1.5 | 5.3 | 8.0 x 16.7 | | * | Red |
| 81006R | 636 | 0.5 - 1.5 | 6.4 | 11.0 x 20.4 | * | | Red |
| 81006RD | 013 | 0.5 - 1.5 | 6.4 | 11.0 x 20.4 | | * | Red |
| 81008R | 638 | 0.5 - 1.5 | 8.4 | 12.0 x 20.2 | * | | Red |
| 81008RD | 014 | 0.5 - 1.5 | 8.4 | 12.0 x 20.2 | | * | Red |
| 81010R | 640 | 0.5 - 1.5 | 10.0 | 14.5 x 25.1 | * | | Red |
| 81103B | 653 | 1.5 - 2.5 | 3.2 | 5.5 x 15.5 | * | | Blue |
| 81103BD | 558 | 1.5 - 2.5 | 3.2 | 5.5 x 15.5 | | * | Blue |
| 81104B | 654 | 1.5 - 2.5 | 4.3 | 8.0 x 16.3 | * | | Blue |
| 81104BD | 536 | 1.5 - 2.5 | 4.3 | 8.0 x 16.3 | | * | Blue |
| 81105B | 655 | 1.5 - 2.5 | 5.3 | 9.5 x 17.1 | * | | Blue |
| 81105BD | 537 | 1.5 - 2.5 | 5.3 | 9.5 x 17.1 | | * | Blue |
| 81106B | 656 | 1.5 - 2.5 | 6.4 | 10.5 x 20.8 | * | | Blue |
| 81106BD | 560 | 1.5 - 2.5 | 6.4 | 10.5 x 20.8 | | * | Blue |
| 81108B | 658 | 1.5 - 2.5 | 8.4 | 12.0 x 21.4 | * | | Blue |
| 81108BD | 008 | 1.5 - 2.5 | 8.4 | 12.0 x 21.4 | | * | Blue |
| 81110D | 660 | 1.5 - 2.5 | 10.0 | 14.5 x 23.6 | * | | Blue |
| 81204G | 674 | 2.5 - 6.0 | 4.3 | 9.5 x 22.2 | * | | Yellow |
| 81204GD | 007 | 2.5 - 6.0 | 4.3 | 9.5 x 22.2 | | * | Yellow |
| 81205G | 675 | 2.5 - 6.0 | 5.3 | 9.5 x 22.2 | * | | Yellow |
| 81205GD | 538 | 2.5 - 6.0 | 5.3 | 9.5 x 22.2 | | * | Yellow |
| 81206G | 676 | 2.5 - 6.0 | 6.4 | 11.0 x 23.5 | * | | Yellow |
| 81206GD | 539 | 2.5 - 6.0 | 6.4 | 11.0 x 23.5 | | * | Yellow |
| 81208G | 678 | 2.5 - 6.0 | 8.4 | 14.0 x 27.0 | * | | Yellow |
| 81208GD | 563 | 2.5 - 6.0 | 8.4 | 14.0 x 27.0 | | * | Yellow |
| 81210G | 680 | 2.5 - 6.0 | 10.0 | 15.0 x 27.7 | * | | Yellow |
| 81210GD | 554 | 2.5 - 6.0 | 10.0 | 15.0 x 27.7 | | * | Yellow |
| 81212G | 682 | 2.5 - 6.0 | 13.0 | 19.0 x 30.0 | * | | Yellow |

Spade terminals





| <i>Part no.</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Stud size (mm)</i> | <i>Dimension (mm)</i> | <i>Single crimp</i> | <i>Double crimp</i> | <i>Colour</i> |
|-----------------|-------------------|------------------------------------|-----------------------|-----------------------|---------------------|---------------------|---------------|
| 81013R | 643 | 0.5 - 1.5 | 3.2 | 5.7 x 15.3 | * | | Red |
| 81013RD | 016 | 0.5 - 1.5 | 3.2 | 5.7 x 15.3 | | * | Red |
| 810137RD | 017 | 0.5 - 1.5 | 3.7 | 6.4 x 15.3 | | * | Red |
| 81014R | 644 | 0.5 - 1.5 | 4.3 | 6.4 x 15.8 | * | | Red |
| 81014RD | 018 | 0.5 - 1.5 | 4.3 | 6.4 x 15.8 | | * | Red |
| 81015R | 645 | 0.5 - 1.5 | 5.3 | 8.5 x 16.4 | * | | Red |
| 81015RD | 019 | 0.5 - 1.5 | 5.3 | 8.5 x 16.4 | | * | Red |
| 81016R | 646 | 0.5 - 1.5 | 6.4 | 11.0 x 19.7 | * | | Red |
| 81016RD | 020 | 0.5 - 1.5 | 6.4 | 11.0 x 19.7 | | * | Red |
| 81113B | 663 | 1.5 - 2.5 | 3.2 | 6.0 x 16 | * | | Blue |
| 81113BD | 003 | 1.5 - 2.5 | 3.2 | 6.0 x 16 | | * | Blue |
| 81114B | 664 | 1.5 - 2.5 | 4.3 | 6.4 x 16.1 | * | | Blue |
| 81114BD | 004 | 1.5 - 2.5 | 4.3 | 6.4 x 16.1 | | * | Blue |
| 81115B | 665 | 1.5 - 2.5 | 5.3 | 8.5 x 16.2 | * | | Blue |
| 81115BD | 021 | 1.5 - 2.5 | 5.3 | 8.5 x 16.2 | | * | Blue |
| 81116B | 666 | 1.5 - 2.5 | 6.4 | 11.0 x 20.4 | * | | Blue |
| 81116BD | 022 | 1.5 - 2.5 | 6.4 | 11.0 x 20.4 | | * | Blue |
| 81214G | 684 | 2.5 - 6.0 | 4.3 | 7.1 x 21.0 | * | | Yellow |
| 81214GD | 023 | 2.5 - 6.0 | 4.3 | 7.1 x 21.0 | | * | Yellow |
| 81215G | 685 | 2.5 - 6.0 | 5.3 | 9.5 x 21.6 | * | | Yellow |
| 81215GD | 024 | 2.5 - 6.0 | 5.3 | 9.5 x 21.6 | | * | Yellow |
| 81216G | 686 | 2.5 - 6.0 | 6.4 | 12.0 x 24.9 | * | | Yellow |
| 81216GD | 025 | 2.5 - 6.0 | 6.4 | 12.0 x 24.9 | | * | Yellow |
| 81218G | 688 | 2.5 - 6.0 | 8.4 | 14.0 x 28.0 | * | | Yellow |
| 81218GD | 026 | 2.5 - 6.0 | 8.4 | 14.0 x 28.0 | | * | Yellow |

Flanged spade terminals




| Part no. | Short code | Wire range (mm ²) | Stud size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|----------|------------|-------------------------------|----------------|----------------|--------------|--------------|--------|
| 81017R | 034 | 0.5 - 1.5 | 4.3 | 7.8 x 14.9 | * | | Red |
| 81117B | 552 | 1.5 - 2.5 | 4.3 | 7.8 x 15.1 | * | | Blue |
| 81118B | 553 | 1.5 - 2.5 | 5.3 | 7.8 x 15.8 | * | | Blue |

Pin terminals



| Part no. | Short code | Wire range (mm ²) | Dimension (mm) | Single crimp | Double crimp | Colour |
|----------|------------|-------------------------------|----------------|--------------|--------------|--------|
| 81022R | 566 | 0.5 - 1.5 | 1.9 x 22 | * | | Red |
| 81022RD | 010 | 0.5 - 1.5 | 1.9 x 22 | | * | Red |
| 81122B | 621 | 1.5 - 2.5 | 1.9 x 22 | * | | Blue |
| 81122BD | 564 | 1.5 - 2.5 | 1.9 x 22 | | * | Blue |
| 81222G | 622 | 2.5 - 6.0 | 2.7 x 28 | * | | Yellow |
| 81222GD | 011 | 2.5 - 6.0 | 2.7 x 28 | | * | Yellow |

But splice connectors



| <i>Part no.</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Single crimp</i> | <i>Double crimp</i> | <i>Colour</i> |
|-----------------|-------------------|------------------------------------|-----------------------|---------------------|---------------------|---------------|
| 81031R | 545 | 0.5 - 1.5 | 4.3 x 24.5 | * | | Red |
| 81132B | 546 | 1.5 - 2.5 | 4.8 x 24.5 | * | | Blue |
| 81233G | 551 | 2.5 - 6.0 | 6.6 x 26 | * | | Yellow |

Receptacle disconnectors




| <i>Part no.</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Single crimp</i> | <i>Double crimp</i> | <i>Colour</i> |
|-----------------|-------------------|------------------------------------|----------------------|-----------------------|---------------------|---------------------|---------------|
| 81044R | 180 | 0.5 - 1.5 | 4.0 | 4.3 x 23.6 | * | | Red |
| 81044RD | 548 | 0.5 - 1.5 | 4.0 | 4.3 x 23.6 | | * | Red |
| 81144BD | 1549 | 1.5 - 2.5 | 4.0 | 4.3 x 23.6 | | * | Blue |
| 81145BD | 549 | 1.5 - 2.5 | 5.0 | 4.8 x 23.6 | | * | Blue |
| 81245GD | 849 | 2.5 - 6.0 | 5.0 | 6.5 x 26.7 | | * | Yellow |

Bullet disconnectors



| Part no. | Short code | Wire range (mm ²) | Tab size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|----------|------------|-------------------------------|---------------|----------------|--------------|--------------|--------|
| 81054RD | 547 | 0.5 - 1.5 | 4.0 | 4.0 x 20.7 | * | * | Red |
| 81154B | 280 | 1.5 - 2.5 | 4.0 | 4.0 x 20.5 | * | * | Blue |
| 81154BD | 1550 | 1.5 - 2.5 | 4.0 | 4.0 x 20.5 | * | * | Blue |
| 81155B | 281 | 1.5 - 2.5 | 5.0 | 5.0 x 21.0 | * | * | Blue |
| 81155BD | 550 | 1.5 - 2.5 | 5.0 | 5.0 x 21.0 | * | * | Blue |
| 81255GD | 850 | 2.5 - 6.0 | 5.0 | 5.0 x 25.0 | * | * | Yellow |



Female disconnectors



| Part number | Short code | Wire range (mm ²) | Tab size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|-------------|------------|-------------------------------|---------------|----------------|--------------|--------------|--------|
| 81062R | 140 | 0.5 - 1.5 | 2.8 x 0.5 | 3.2 x 19.0 | * | * | Red |
| 81062RD | 559 | 0.5 - 1.5 | 2.8 x 0.5 | 3.2 x 19.0 | * | * | Red |
| 810628RD | 5598 | 0.5 - 1.5 | 2.8 x 0.8 | 3.2 x 19.0 | * | * | Red |
| 81064R | 001 | 0.5 - 1.5 | 4.8 x 0.5 | 5.0 x 19.0 | * | * | Red |
| 81064RD | 741 | 0.5 - 1.5 | 4.8 x 0.5 | 5.0 x 19.0 | * | * | Red |
| 810648RD | 7418 | 0.5 - 1.5 | 4.8 x 0.8 | 5.0 x 19.0 | * | * | Red |
| 81066R | 109 | 0.5 - 1.5 | 6.3 x 0.8 | 6.6 x 20.5 | * | * | Red |
| 81066RD | 541 | 0.5 - 1.5 | 6.3 x 0.8 | 6.6 x 20.5 | * | * | Red |
| 81163BD | 112 | 1.5 - 2.5 | 2.8 x 0.8 | 3.2 x 19.0 | * | * | Blue |
| 81164B | 005 | 1.5 - 2.5 | 4.8 x 0.5 | 5.0 x 19.0 | * | * | Blue |
| 81164BD | 742 | 1.5 - 2.5 | 4.8 x 0.5 | 5.0 x 19.0 | * | * | Blue |
| 811648BD | 7428 | 1.5 - 2.5 | 4.8 x 0.8 | 5.0 x 19.0 | * | * | Blue |
| 81166B | 209 | 1.5 - 2.5 | 6.3 x 0.8 | 6.6 x 20.5 | * | * | Blue |
| 81166BD | 542 | 1.5 - 2.5 | 6.3 x 0.8 | 6.6 x 20.5 | * | * | Blue |

| <i>Part number</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Single crimp</i> | <i>Double crimp</i> | <i>Colour</i> |
|--------------------|-------------------|------------------------------------|----------------------|-----------------------|---------------------|---------------------|---------------|
| 81167BD | 544 | 1.5 - 2.5 | 8.0 x 0.8 | 8.2 x 25.5 | | * | Blue |
| 81266G | 028 | 2.5 - 6.0 | 6.3 x 0.8 | 6.6 x 24.6 | | * | Yellow |
| 81266GD | 543 | 2.5 - 6.0 | 6.3 x 0.8 | 6.6 x 24.6 | | * | Yellow |
| 81269GD | 555 | 2.5 - 6.0 | 9.5 x 1.2 | 10 x 29.5 | | * | Yellow |

Male disconnectors



| <i>Part number</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Single crimp</i> | <i>Double crimp</i> | <i>Colour</i> |
|--------------------|-------------------|------------------------------------|----------------------|-----------------------|---------------------|---------------------|---------------|
| 81072RD | 940 | 0.5 - 1.5 | 2.8 x 0.8 | 2.8 x 20.5 | | * | Red |
| 81074RD | 002 | 0.5 - 1.5 | 4.8 x 0.8 | 4.8 x 20.0 | | * | Red |
| 81076R | 111 | 0.5 - 1.5 | 6.3 x 0.8 | 6.3 x 21.0 | * | | Red |
| 81076RD | 540 | 0.5 - 1.5 | 6.3 x 0.8 | 6.3 x 21.0 | | * | Red |
| 81174B | 006 | 1.5 - 2.5 | 4.8 x 0.5 | 4.8 x 19.0 | * | | Blue |
| 81174BD | 941 | 1.5 - 2.5 | 4.8 x 0.5 | 4.8 x 19.0 | | * | Blue |
| 81176B | 211 | 1.5 - 2.5 | 6.3 x 0.8 | 6.3 x 21.0 | * | | Blue |
| 81176BD | 740 | 1.5 - 2.5 | 6.3 x 0.8 | 6.3 x 21.0 | | * | Blue |
| 81276GD | 840 | 2.5 - 6.0 | 6.3 x 0.8 | 6.3 x 25.0 | | * | Yellow |

Fully insulated female disconnectors



| Part no. | Short code | Wire range (mm ²) | Tab size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|----------|------------|-------------------------------|---------------|----------------|--------------|--------------|--------|
| 81083RD | 1941 | 0.5 - 1.5 | 2.8 x 0.8 | 3.2 x 20.0 | | * | Red |
| 81084RD | 1741 | 0.5 - 1.5 | 4.8 x 0.8 | 5.0 x 20.0 | | * | Red |
| 81086RD | 1541 | 0.5 - 1.5 | 6.3 x 0.8 | 6.6 x 21.5 | | * | Red |
| 81184BD | 1742 | 1.5 - 2.5 | 4.8 x 0.5 | 5.0 x 20.0 | | * | Blue |
| 81186BD | 1542 | 1.5 - 2.5 | 6.3 x 0.8 | 6.6 x 21.5 | | * | Blue |
| 81286GD | 1543 | 2.5 - 6.0 | 6.3 x 0.8 | 6.6 x 23.5 | | * | Yellow |

Piggy back disconnectors



| Part no. | Short code | Wire range (mm ²) | Tab size (mm) | Dimension (mm) | Single crimp | Double crimp | Colour |
|----------|------------|-------------------------------|---------------|----------------|--------------|--------------|--------|
| 81096RD | 561 | 0.5 - 1.5 | 6.3 x 0.8 | 6.6 x 20.0 | | * | Red |
| 81196BD | 562 | 1.5 - 2.5 | 6.3 x 0.8 | 6.6 x 20.0 | | * | Blue |
| 81296GD | 568 | 2.5 - 6.0 | 6.3 x 0.8 | 6.6 x 24.0 | | * | Yellow |

Quick splice connectors



| <i>Part no.</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Colour</i> |
|-----------------|-------------------|------------------------------------|-----------------------|---------------|
| 81099R | 1563 | 0.5 - 1.0 | 20.0 x 26.0 | Red |
| 81199B | 1560 | 0.75 - 2.5 | 20.0 x 26.0 | Blue |
| 81299G | 1562 | 4.0 - 6.0 | 21.0 x 26.0 | Yellow |

Closed end connectors



| <i>Part no.</i> | <i>Short code</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> |
|-----------------|-------------------|------------------------------------|-----------------------|
| 81077R | 1-SD | 0.5 - 1.5 | 6.35 x 18.00 |
| 81177B | 2-SD | 1.5 - 2.5 | 7.4 x 21.00 |



Ongeïsoleerde kabelschoenen

Non-insulated terminals

Nicht isolierte Kabelschuhe

Cosses non isolées

Non-insulated ring terminals

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|--------------------|---------------|----------------------------------------|--------------------------|---------------------------|-----------------|
| 81429030 | 1 | 0.5 - 1.5 | 4.3 | 6.8 x 12 | Copper |
| 81429031 | 2 | 0.5 - 1.5 | 5.3 | 8 x 13 | Copper |
| 81429032 | 3 | 0.5 - 1.5 | 6.5 | 11 x 15 | Copper |
| 8142925 | 4 | 1.5 - 2.5 | 3.2 | 6 x 11 | Copper |
| 8142927 | 5 | 1.5 - 2.5 | 5.3 | 10 x 14 | Copper |
| 8142928 | 6 | 1.5 - 2.5 | 6.5 | 11 x 16 | Copper |
| 8142929 | 7 | 1.5 - 2.5 | 8.4 | 14 x 17 | Copper |
| 8142904 | 8 | 2.5 - 6.0 | 4.3 | 8 x 14 | Copper |
| 8142905 | 9 | 2.5 - 6.0 | 5.3 | 10 x 15 | Copper |
| 8142906 | 10 | 2.5 - 6.0 | 6.5 | 11 x 16 | Copper |
| 81422908 | 11 | 10 | 6.5 | 11 x 17 | Copper |
| 81422910 | 12 | 10 | 8.4 | 14 x 20 | Copper |
| 8150061 | 13 | 16 | 6.5 | 11 x 20 | Copper |
| 815006 | 14 | 16 | 8.4 | 14 x 22 | Copper |
| 8142917 | 15 | 16 | 13 | 22 x 26 | Copper |
| 815000 | 16 | 25 | 8.4 | 16 x 25 | Copper |
| 815001 | 17 | 25 | 10.5 | 18 x 26 | Copper |
| 815002 | 18 | 25 | 13 | 22 x 31 | Copper |

1



2



3



4



5




6



7



8



9



10




11



12




13



14



15



16



17



18




| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|--------------------|---------------|----------------------------------------|--------------------------|---------------------------|-----------------|
| 815003 | 1 | 35 | 8.4 | 16 x 26 | Copper |
| 815004 | 2 | 35 | 10.5 | 18 x 27 | Copper |
| 815005 | 3 | 35 | 13 | 22 x 31 | Copper |
| 81425035 | 4 | 50 | 8.4 | 18 x 34 | Copper |
| 815008 | 5 | 50 | 10.5 | 18 x 34 | Copper |
| 815009 | 6 | 50 | 13 | 22 x 36 | Copper |
| 815010 | 7 | 70 | 10.5 | 22 x 38 | Copper |
| 81429070 | 8 | 70 | 13 | 22 x 38 | Copper |

Heat shrinkable ring terminals

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|--------------------|---------------|----------------------------------------|--------------------------|---------------------------|-----------------|
| 8145010 | 9 | 0.5 - 1.5 | 4.3 | 8.0 x 18 | Copper |
| 8145011 | 10 | 0.5 - 1.5 | 5.3 | 8.0 x 18 | Copper |
| 8145028 | 11 | 0.5 - 1.5 | 6.4 | 11.0 x 18 | Copper |
| 8145012 | 12 | 1.5 - 2.5 | 4.3 | 8.0 x 18 | Copper |
| 8145013 | 13 | 1.5 - 2.5 | 6.4 | 10.5 x 18 | Copper |
| 8145014 | 14 | 4.0 - 6.0 | 4.3 | 9.5 x 23 | Copper |
| 8145015 | 15 | 4.0 - 6.0 | 6.4 | 11.0 x 23 | Copper |
| 8145030 | 16 | 4.0 - 6.0 | 8.4 | 14.0 x 23 | Copper |

1



2



3



4



5




6




7



8



9




10



11



12



13



14



15



16



Heat shrinkable butt splice connectors

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|----------------------------------|------------------------|
| 8145017 | 1 | 0.5 - 1.5 | 1.8 x 35 | Copper |
| 8145018 | 2 | 1.5 - 2.5 | 2.3 x 35 | Copper |
| 8145027 | 3 | 2.5 - 6.0 | 3.5 x 42 | Copper |


Heat shrinkable male disconnectors

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Tab size (mm)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|---------------------------------|----------------------------------|------------------------|
| 8145022 | 4 | 0.5 - 1.5 | 6.3 x 0.8 | 6.3 x 18 | Brass |
| 8145023 | 5 | 1.5 - 2.5 | 6.3 x 0.8 | 6.3 x 18 | Brass |


Female disconnectors

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|----------------------------------|------------------------|
| 813292 | 6 | 0.5 - 1.5 | 2.8 x 0.8 | Brass |
| 813294 | 7 | 0.5 - 1.5 | 2.8 x 0.8 | Tin plated |
| 8132940 | 8 | 1.5 - 2.5 | 2.8 x 0.8 | Brass |
| 813295 | 9 | 0.5 - 1.5 | 4.8 x 0.8 | Brass |
| 813296 | 10 | 0.5 - 1.5 | 4.8 x 0.8 | Tin plated |
| 813297 | 11 | 1.5 - 2.5 | 4.8 x 0.8 | Brass |
| 813298 | 12 | 1.5 - 2.5 | 4.8 x 0.8 | Tin plated |
| 8132922 | 13 | 0.5 - 1.5 | 6.3 x 0.8 | Brass |
| 8132923 | 14 | 0.5 - 1.5 | 6.3 x 0.8 | Tin plated |
| 8132941 | 15 | 1.5 - 2.5 | 6.3 x 0.8 | Brass |
| 8132942 | 16 | 1.5 - 2.5 | 6.3 x 0.8 | Tin plated |
| 8132943 | 17 | 4.0 - 6.0 | 6.3 x 0.8 | Brass |

1



2




3




4




5



6




7




8




9




10




11




12




13




14




15



16



17



Male disconnectors

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|----------------------------------|------------------------|
| 8132911 | 1 | 0.5 - 1.5 | 6.3 x 0.8 | Brass |
| 8132912 | 2 | 0.5 - 1.5 | 6.3 x 0.8 | Tin plated |
| 81329320TAB | 3 | 1.5 - 2.5 | 6.3 x 0.8 | Brass |
| 8132932 | 4 | 1.5 - 2.5 | 6.3 x 0.8 | Tin plated |

Piggy back disconnectors

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|----------------------------------|------------------------|
| 813289 | 5 | 0.5 - 1.5 | 6.3 x 0.8 | Brass |
| 813290 | 6 | 0.5 - 1.5 | 6.3 x 0.8 | Tin plated |
| 813291 | 7 | 1.5 - 2.5 | 6.3 x 0.8 | Brass |
| 813299 | 8 | 1.5 - 2.5 | 6.3 x 0.8 | Tin plated |

Female disconnectors 90°

| <i>Part number</i> | <i>Figure</i> | <i>Wire range (mm²)</i> | <i>Dimension (mm)</i> | <i>Material</i> |
|---------------------------|----------------------|-----------------------------------------------|----------------------------------|------------------------|
| 813293 | 9 | 0.5 - 1.5 | 6.3 x 0.8 | Brass |
| 8132930 | 10 | 0.5 - 1.5 | 6.3 x 0.8 | Tin plated |
| 8133001 | 11 | 1.5 - 2.5 | 6.3 x 0.8 | Brass |
| 8133002 | 12 | 1.5 - 2.5 | 6.3 x 0.8 | Tin plated |


1



2



3



4



5



6



7




8



9



10



11



12





Adereindhulzen


Cord-end sleeves

Kabelendhülsen


Douille enfin du câbles

| <i>Part number</i> | <i>Figure</i> | <i>mm²</i> | <i>Dimension (mm)</i> | <i>Tube size (mm)</i> | <i>Colour</i> |
|--------------------|---------------|-----------------------|---------------------------|---------------------------|---------------|
| 730001 | 1 | 0.50 | 14 x 2.6 | 8 x 1.0 | White |
| 730003 | 2 | 0.75 | 14 x 2.8 | 8 x 1.2 | Blue |
| 730004 | 3 | 0.75 | 14 x 2.8 | 8 x 1.2 | Grey |
| 730005 | 4 | 1.00 | 14 x 3.0 | 8 x 1.4 | Red |
| 730005HL | 5 | 1.00 | 16 x 3.0 | 10 x 1.4 | Red |
| 730010 | 6 | 1.50 | 14 x 3.5 | 6 x 1.7 | Black |
| 730010HL | 7 | 1.50 | 16 x 3.5 | 8 x 1.7 | Black |
| 730020 | 8 | 2.50 | 14 x 4.2 | 6 x 2.2 | Blue |
| 730021 | 9 | 2.50 | 14 x 4.2 | 6 x 2.2 | Grey |
| 730020HL | 10 | 2.50 | 18 x 4.2 | 10 x 2.2 | Blue |
| 730021HL | 11 | 2.50 | 18 x 4.2 | 10 x 2.2 | Grey |
| 730020L | 12 | 2.50 | 24 x 4.2 | 12 x 2.2 | Blue |
| 730030 | 13 | 4.00 | 19 x 4.8 | 10 x 2.8 | Orange |
| 730031 | 14 | 4.00 | 19 x 4.8 | 10 x 2.8 | Grey |
| 730031HL | 15 | 4.00 | 20 x 4.8 | 12 x 2.8 | Grey |
| 730031L | 16 | 4.00 | 26 x 4.8 | 18 x 2.8 | Grey |
| 730032 | 17 | 6.00 | 20 x 6.3 | 12 x 3.5 | Yellow |
| 730035 | 18 | 6.00 | 20 x 6.3 | 12 x 3.5 | Green |


1




2




3



4



5



6



7



8




9




10



11




12




13



14




15




16



17



18




| <i>Part number</i> | <i>Figure</i> | <i>mm²</i> | <i>Dimension (mm)</i> | <i>Tube size (mm)</i> | <i>Colour</i> |
|--------------------|---------------|-----------------------|---------------------------|---------------------------|---------------|
| 730032L | 1 | 6.00 | 26 x 6.3 | 18 x 3.5 | Yellow |
| 730035L | 2 | 6.00 | 26 x 6.3 | 18 x 3.5 | Green |
| 730033 | 3 | 10.00 | 22 x 7.6 | 12 x 4.5 | Red |
| 730040 | 4 | 10.00 | 22 x 7.6 | 12 x 4.5 | Brown |
| 730040L | 5 | 10.00 | 28 x 7.6 | 18 x 4.5 | Brown |
| 730034 | 6 | 16.00 | 24 x 8.8 | 12 x 5.8 | Blue |
| 730045 | 7 | 16.00 | 24 x 8.8 | 12 x 5.8 | Ivory |
| 730045L | 8 | 16.00 | 28 x 8.8 | 18 x 5.8 | Ivory |
| 730036 | 9 | 25.00 | 28 x 11.2 | 16 x 7.3 | Yellow |
| 730050 | 10 | 25.00 | 28 x 11.2 | 16 x 7.3 | Black |
| 730055 | 11 | 35.00 | 30 x 12.7 | 16 x 8.3 | Red |
| 730060 | 12 | 50.00 | 36 x 15.0 | 20 x 10.3 | Blue |

1



2



3




4




5




6



7




8



9




10



11



12



| <i>Part number</i> | <i>Figure</i> | <i>mm²</i> | <i>Dimension (mm)</i> | <i>Tube size (mm)</i> | <i>Colour</i> |
|--------------------|---------------|-----------------------|---------------------------|---------------------------|---------------|
| 730070 | 1 | 2 x 0.50 | 15 x 2.5/4.7 | 8 x 1.5 | White |
| 730080 | 2 | 2 x 0.75 | 15 x 2.8/5.0 | 8 x 1.8 | Grey |
| 730085 | 3 | 2 x 1.00 | 15 x 3.4/5.4 | 8 x 2.05 | Red |
| 730090 | 4 | 2 x 1.50 | 16 x 3.6/6.6 | 8 x 2.3 | Black |
| 730100 | 5 | 2 x 2.50 | 18.5 x 4.2/7.8 | 10 x 2.8 | Blue |
| 730110 | 6 | 2 x 4.00 | 23 x 4.9/8.8 | 12 x 3.7 | Grey |
| 730115 | 7 | 2 x 6.00 | 26 x 6.9/10.0 | 14 x 4.8 | Yellow |
| 730120 | 8 | 2 x 10.00 | 26.5 x 7.6/12.8 | 14 x 6.4 | Red |
| 730125 | 9 | 2 x 16.00 | 31.5 x 9.6/18.6 | 14 x 8.3 | Blue |

